

SHOWER CABINS


TUB

HANDRAILS

SHOWER CABINS TECHNOLOGY

ANTIOXIDANT ALUMINUM

Being made of the quality antioxidant aircraft aluminum. The thickness is 1.5mm, partial thickness to 4mm. Aluminum housing body is with the strong bearing strength, non-deformation, non-warping, non-shaking, eliminate the deformation and breakage for glass stress, build the solid safety shower space.



ANTI-RUST FITTINGS

The shower room handles, joint, hinges, spindles, pulleys, etc are of #304 stainless steel or brass, and treated by PVD surface technology processing, layer-and-layer thickening, forever fastness, non-deformation, permanent glossiness. In the damp, acid and alkali circumstance, they are with strong corrosion rust, durable, and the general duration is more than 10 years.



SECURITY GLASS

Porta shower room is made of automotive-grade tempered safety glass, and approved by the national 3C Certification and greatly improved the glass fragility. Even the fragmentation, the glass pieces will be the small particle with obtuse angle, and the particle number is up to 60 in 50*50mm surface (it is no less than 40 in national standard), Uneasy to harm the body, and the anti-blast membrane will give the great insurance for the security.





HD2101

Shower Cabin
Circular Arc Round (90 x 90)

Available Colour: White and Ivory

Size: 900 x 900 x 1950mm

Glass Door 6mm Tempered





HD1611

Shower Cabin
Circular Arc Round (100 x 100)

Available Colour: White and Ivory

Size: 1000 x 1000 x 1950mm

Glass Door 6mm Tempered





HD2102

Shower Cabin Square (90 x 90)

Available Colour: White and Ivory

Size: 900 x 900 x 1950mm

Glass Door 6mm Tempered





HD1610

Shower Cabin Square (100 x 100)

Available Colour: White and Ivory

Size: 1000 x 1000 x 1950mm

Glass Door 6mm Tempered




BATH TECHNOLOGY




INNOVATED SURFING PIPE WATER-TREATMENT TECHNOLOGY

Unique conversion valve on the surfing bathtub, the flow directly imports into the pump and the whole circulation pathways, and flush the water and stain in the pipeline to prevent the bacterial growth and keep the pathway clean.



COMPOUND ACRYLIC, SAFE AND RELIABLE

6 layers CF compound acrylic, high energy efficiency, meets multiple demands; the bathtub is without break after the impact test(2 meter high, 350 grams steel ball), and far beyond the national standards, with super shock resistance.





HD9704

Acrylic Bath Tub

Available Colour: White and Ivory

Size: 1695 x 785 x 430mm
with waste & overflow



HDLP020

S.S Basin Handrail



HDC216

S.S Toilet Handrail

